

Book Series
of
jago{coding}
Learn & Share {Your Code}

www.jagocoding.com

Input multiple field form menggunakan codeigniter + validasi dan JQuery

Oleh: Achmad Maulana

membuat multiple upload , serta multiple insert serta validasi jquery dan ajax tak luput menggunakan notifikasi toastr js dan plugin lainnya



pertama download versi codeigniter 3.1.5 karena di tutor ini saya menggunakan versi terbaru dari codeigniter itu sendiri ,

berikut LINK : <https://codeigniter.com/download>

config terlebih dahulu base_url , database nya , dan autoload nya serta route nya jangan sampai lupa ya

yang terdapat di folder application / config /

autoload.php

```
$autoload['libraries'] =
array('database','session','form_validation','pagination','user_agent');

/*
| -----
| Auto-load Helper Files
| -----
| Prototype:
|
|     $autoload['helper'] = array('url', 'file');
*/
$autoload['helper'] = array('url','file','form','url_helper');
```

config.php

```
$config['base_url'] = ((isset($_SERVER['HTTPS']) && $_SERVER['HTTPS'] ==
"on") ? "https" : "http");
$config['base_url'] .= "://".$_SERVER['HTTP_HOST'];
$config['base_url'] .=
```

```

str_replace(basename($_SERVER['SCRIPT_NAME']),"",$_SERVER['SCRIPT_NAME']);

/*
|-----
|
| Index File
|-----
|
| Typically this will be your index.php file, unless you've renamed it to
| something else. If you are using mod_rewrite to remove the page set this
| variable so that it is blank.
|
*/
$config['index_page'] = '';

```

database.php

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

$active_group = 'default';
$query_builder = TRUE;

$db['default'] = array(
    'dsn' => '',
    'hostname' => 'localhost',
    'username' => 'root',
    'password' => '',
    'database' => 'nama database',-->nama database nya agan/sista
    'dbdriver' => 'mysqli',
    'dbprefix' => '',
    'pconnect' => FALSE,
    'db_debug' => (ENVIRONMENT !== 'production'),
    'cache_on' => FALSE,
    'cachedir' => '',
    'char_set' => 'utf8',
    'dbcollat' => 'utf8_general_ci',
    'swap_pre' => '',
    'encrypt' => FALSE,
    'compress' => FALSE,
    'stricton' => FALSE,
    'failover' => array(),
    'save_queries' => TRUE
);

```

!----- tahap konfigurasi selesai -----!

buat controller terlebih dahulu dengan nama bebas sih apa aja yang agan dan sista mau .

```
<?php defined('BASEPATH') OR exit('No direct script access allowed');
class Firstpage extends CI_Controller {
    public function __construct() {
        parent::__construct();
        $this->load->database();
        //models connection back-end
        $this->load->model('M_settings', 'settings');// jangan lupa load
model nya ya gan
        $this->load->helper(array('url'));
        //end models connection back-end
    }
    public function index() {
        //-- pagination --//
        $page=$this->input->get('per_page');
        $batas=2; //jln data yang ditampilkan per halaman
        if(!$page): //jika page bernilai kosong maka batas akhirnya akan
di set 0
            $offset = 0;
        else:
            $offset = $page; // jika tidak kosong maka nilai batas akhir nya
akan diset nilai page terakhir
        endif;

        $config['page_query_string'] = TRUE; //mengaktifkan pengambilan
method get pada url default
        $config['base_url'] = base_url().'utama?'; //url yang muncul
ketika tombol pada paging diklik
        $config['total_rows'] = $this->settings->count_angkatan_array(); //
jln total article
        $config['per_page'] = $batas; //batas sesuai dengan variabel batas
        $config['uri_segment'] = $page; //merupakan posisi pagination dalam
url pada kesempatan ini saya menggunakan method get untuk menentukan
posisi pada url yaitu per_page

        $config['full_tag_open'] = '<ul class="pagination">';
        $config['full_tag_close'] = '</ul>';
        $config['first_link'] = '&laquo; First';
        $config['first_tag_open'] = '<li class="prev page">';
        $config['first_tag_close'] = '</li>';

        $config['last_link'] = 'Last &raquo;';
        $config['last_tag_open'] = '<li class="next page">';
        $config['last_tag_close'] = '</li>';

        $config['next_link'] = 'Next &rarr;';
        $config['next_tag_open'] = '<li class="next page">';
        $config['next_tag_close'] = '</li>';
```

```

$config['prev_link'] = '&larr; Prev';
$config['prev_tag_open'] = '<li class="prev page">';
$config['prev_tag_close'] = '</li>';

$config['cur_tag_open'] = '<li class="current"><a href="">';
$config['cur_tag_close'] = '</a></li>';

$config['num_tag_open'] = '<li class="page">';
$config['num_tag_close'] = '</li>';
$this->pagination->initialize($config);

$this->data['pagination']=$this->pagination->create_links();

$this->data['jhlhpage']=$page;
// end pagination
// get article list
$this->data['angkatan_data'] =
$this->settings->get_angkatan_array($batas,$offset);
//main content
$this->load->view('v_angkatan', $this->data);
//end main content
}

```

```

public function add() {
    $this->settings->validate_add(); // validasi file
    if(empty($_FILES['file_image']['tmp_name'])) {
        $firstname = count($this->input->post('firstname'));
        for($i = 0; $i < $firstname; $i++) {
            $data = array (
                'img' => "",
                'date_created' => date("Y-m-d"),
                'firstname' => $_POST['firstname'][$i],
                'lastname' => $_POST['lastname'][$i],
                'phone' => $_POST['phone'][$i],
                'email' => $_POST['email'][$i],
                'biography' => $_POST['biography'][$i],
                'angkatan' => $_POST['angkatan'][$i],
                'website' => $_POST['website'][$i]
            );
            $insert = $this->settings->save_angkatan($data);
        }

        echo json_encode(array("status" => TRUE));

    } else {
        // cek berapa file yang akan di upload;
        $number_of_files = sizeof($_FILES['file_image']['tmp_name']);
        $firstname = count($this->input->post('firstname'));
        $files = $_FILES['file_image'];
    }
}

```

```

$errors = array();
if(isset($_FILES['file_image'])){
    for($i = 0; $i < $firstname; $i++) {
        $this->image_path = realpath(APPPATH.'../image/alumni');
        $this->image_path_url = base_url().'image/alumni';
        $config = array(
            'allowed_types' => 'jpg|gif|GIF|jpeg|png|JPG|JPEG|PNG',
            'upload_path'    => $this->image_path,
            'encrypt_name'   => TRUE
        );
        if(!empty($files['name'][$i])) {
            $_FILES['file_image']['name']           =
$files['name'][$i];
            $_FILES['file_image']['type']           =
$files['type'][$i];
            $_FILES['file_image']['tmp_name']       =
$files['tmp_name'][$i];
            $_FILES['file_image']['error']         =
$files['error'][$i];
            $_FILES['file_image']['size']         =
$files['size'][$i];

            $this->load->library('upload');
            $this->upload->initialize($config);
            if ($this->upload->do_upload('file_image')) {
                $upload_data = $this->upload->data();
                $data = array (
                    'img' => $upload_data["file_name"],
                    'date_created' => date("Y-m-d"),
                    'firstname' => $_POST['firstname'][$i],
                    'lastname' => $_POST['lastname'][$i],
                    'phone' => $_POST['phone'][$i],
                    'email' => $_POST['email'][$i],
                    'biography' => $_POST['biography'][$i],
                    'angkatan' => $_POST['angkatan'][$i],
                    'website' => $_POST['website'][$i]
                );
            } else {
                $data['upload_errors'][$i] =
$this->upload->display_errors();
            }

        } else {
            $data = array (
                'img' => "",
                'date_created' => date("Y-m-d"),
                'firstname' => $_POST['firstname'][$i],
                'lastname' => $_POST['lastname'][$i],
                'phone' => $_POST['phone'][$i],
                'email' => $_POST['email'][$i],
                'biography' => $_POST['biography'][$i],
                'angkatan' => $_POST['angkatan'][$i],
            );
        }
    }
}

```

```

                'website' => $_POST['website'][$i]
            );
        }
        $insert = $this->settings->save_angkatan($data);
    }
    }
    echo json_encode(array("status" => TRUE));
}
}
function unique_url($key) {
    return $this->settings->validate_link_website_angkatan($key);
}

```

2. tahap kedua membuat models untuk pengambilan database nya berikut source code nya :

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

// -- settings -- \\
class M_settings extends CI_Model {
    //-- settings page --\\
    function get_angkatan_array($batas=null, $offset=null, $key=null) {
        $this->db->select('a.*,a.id as alumni_id');
        $this->db->from('alumni as a');
        if($batas != null){
            $this->db->limit($batas,$offset);
        }
        if ($key != null) {
            $this->db->or_like($key);
        }
        $query = $this->db->get();
        if ($query->num_rows() > 0) {
            return $query->result();
        }
    }

    function count_angkatan_array(){
        $this->db->select('a.*,a.id as alumni_id');
        $this->db->from('alumni as a');
        $query = $this->db->get()->num_rows();
        return $query;
    }

    function count_angkatan_array_search($orlike) {
        $this->db->or_like($orlike);
        $this->db->select('a.*,a.id as alumni_id');
    }
}

```

```

        $this->db->from('alumni as a');
        $query = $this->db->get();
        return $query->num_rows();
    }

    function validate_link_website_angkatan($key) {
        $this->db->select('a.id');
        $this->db->from('alumni a');
        $this->db->where('website', $key);
        $query = $this->db->get();
        if($query->num_rows() > 0){
            $this->form_validation->set_message('unique_url', 'link sudah
dipakai periksa kembali');
            return false;
        } else {
            return true;
        }
    }

    function save_angkatan($data) {
        return $this->db->insert('alumni', $data);
        // return $this->db->insert_id();
    }

    function validate_add() {
        $data = array();
        $data['error_string'] = array();
        $data['inputerror'] = array();
        $data['status'] = TRUE;

        $firstname = $this->input->post('firstname');
        if(!empty($firstname))
        {
            foreach($firstname as $id => $value)
            {
                $this->form_validation->set_rules('firstname['.$id.]',
'nama depan', 'trim|required');
                $this->form_validation->set_rules('lastname['.$id.]',
'nama belakang', 'trim|required');
                $this->form_validation->set_rules('angkatan['.$id.]',
'angkatan ke', 'trim|required');
                $this->form_validation->set_rules('biography['.$id.]',
'deskripsi tentang alumni', 'trim|required');
                $this->form_validation->set_rules('phone['.$id.]',
'no telp/handphone', 'trim|required');
                $this->form_validation->set_rules('email['.$id.]',
'email', 'trim|required|valid_email|is_unique[alumni.email]');
                $this->form_validation->set_rules('website['.$id.]',
'link url', 'trim|required|callback_unique_url|prep_url');
            }
        }
    }

```



```

$this->form_validation->set_error_delimiters('', '');
$this->form_validation->run();

$loop = $this->input->post('firstname');
if(!empty($loop))
{
    foreach($loop as $id => $value)
    {
        if(form_error('firstname['.$id.'])!= '')
        {
            $data['inputerror'][] = 'firstname['.$id.']';
            $data['error_id'][] = 'firstname_'. $id.'';
            $string = form_error('firstname['.$id.']');
            $result = str_replace(array('</p>', '<p>'), '',
$string);

            $data['error_string'][] = $result;
            $data['status'] = FALSE;
        }

        if(form_error('lastname['.$id.'])!= '')
        {
            $data['inputerror'][] = 'lastname['.$id.']';
            $data['error_id'][] = 'lastname_'. $id.'';
            $string = form_error('lastname['.$id.']');
            $result = str_replace(array('</p>', '<p>'), '',
$string);

            $data['error_string'][] = $result;
            $data['status'] = FALSE;
        }

        if(form_error('angkatan['.$id.'])!= '')
        {
            $data['inputerror'][] = 'angkatan['.$id.']';
            $data['error_id'][] = 'angkatan_'. $id.'';
            $string = form_error('angkatan['.$id.']');
            $result = str_replace(array('</p>', '<p>'), '',
$string);

            $data['error_string'][] = $result;
            $data['status'] = FALSE;
        }

        if(form_error('email['.$id.'])!= '')
        {
            $data['inputerror'][] = 'email['.$id.']';
            $data['error_id'][] = 'email_'. $id.'';
            $string = form_error('email['.$id.']');
            $result = str_replace(array('</p>', '<p>'), '',
$string);

            $data['error_string'][] = $result;
            $data['status'] = FALSE;
        }
    }
}

```

```

        if(form_error('website['.$id.>')!= '')
        {
            $data['inputerror'][] = 'website['.$id.>';
            $data['error_id'][] = 'website_'. $id.'';
            $string = form_error('website['.$id.>');
            $result = str_replace(array('</p>', '<p>'), '',
$string);

            $data['error_string'][] = $result;
            $data['status'] = FALSE;
        }

        $allowed =
array('png','jpg','jpeg','PNG','JPG','JPEG');

        if (isset($_FILES['file_image['.$id.']])){
            $new = $_FILES['file_image['.$id.']] ['name'];

            $ext = pathinfo($new, PATHINFO_EXTENSION);
            if(!in_array($ext,$allowed) ) {
                $data['inputerror'][] = 'file_image['.$id.>';
                $data['error_id'][] = 'file_image_'. $id.'';
                $string = 'Type File PNG JPG JPEG';

                $result = str_replace(array('</p>',
'<p>'),'',$string);

                $data['error_string'][] = $result;
                $data['status'] = FALSE;
            }
        }
    }
}

if($data['status'] === FALSE){
    echo json_encode($data);
    exit();
}
}
}

```

3. tahap ketiga adalah membuat view nya serta javascriptnya untuk menyimpan data :

```

<!-- Bootstrap CSS-->
<link rel="stylesheet" type="text/css"
href="<?=base_url();?>assets/back-end/plugins/bootstrap/dist/css/bootstrap.
min.css">
<link rel="stylesheet" type="text/css"
href="<?=base_url();?>assets/back-end/build/css/custom.css">
<link rel="stylesheet" type="text/css"
href="<?=base_url();?>assets/back-end/plugins/dropify/dist/css/dropify.min.
css">

```

```

<!-- Toastr-->
<link rel="stylesheet" type="text/css"
href="<?=base_url();?>assets/back-end/plugins/toastr/toastr.min.css">
<!-- Fonts-->
<link rel="stylesheet" type="text/css"
href="<?=base_url();?>assets/back-end/plugins/themify-icons/themify-icons.
css">
<link rel="stylesheet" type="text/css"
href="<?=base_url();?>assets/back-end/plugins/font-awesome/css/font-awesom
e.min.css">

<!-- jQuery-->
<script type="text/javascript"
src="<?=base_url();?>assets/back-end/plugins/jquery/dist/jquery.min.js"></
script>
<!-- jquery form -->
<script type="text/javascript"
src="<?=base_url('assets/back-end/');?>/plugins/jquery/dist/jquery.form.js"
></script>
<!-- Bootstrap JavaScript-->
<script type="text/javascript"
src="<?=base_url();?>assets/back-end/plugins/bootstrap/dist/js/bootstrap.m
in.js"></script>
<!-- toastr-->
<script type="text/javascript"
src="<?=base_url();?>assets/back-end/plugins/toastr/toastr.min.js"></scrip
t>
<script type="text/javascript"
src="<?=base_url();?>assets/back-end/plugins/dropify/dist/js/dropify.min.j
s"></script>

<!-- Custom JS-->
<script type="text/javascript">
    var base_url = "<?=base_url('firstpage/');?>";
    var url = "<?=base_url('firstpage/');?>";
    var asset_url = "<?=base_url('assets/back-end/');?>";
    var uri = "<?=$this->uri->segment(2); ?>";
    var image_url = "<?=base_url();?>";
    var default_url = "<?=base_url();?>";
</script>

<script src="<?=base_url();?>assets/back-end/build/js/custom.js"></script>
<!-- END STYLE & JAVASCRIPT -->
<div class="page-content container-fluid">
    <div class="widget">
        <div class="widget-body">
            <div class="row mb-15">
                <div class="col-md-6">
                    <p class="form-control-static"><i>manajemen konten sistem</i>
alumni</p>

```

```

    </div>
    <div class="col-md-6">
        <button id="btn-add" onclick="btttn_adding_c_angkatan()"
class="btn btn-outline btn-primary"><i class="ti-plus"></i>
tambah</button>
    </div>
</div>
<div class="row">
<div class="col-lg-12">
<div class="row">
    <?php if (empty($angkatan_data)){ ?>
    <div class="col-lg-12" id="error_not_found">
        maaf, tidak ada data {elapsed_time}
    </div>
    <?php } ?>
    <?php for ($i = 0; $i < count($angkatan_data); ++$i) { ?>
    <figure <?php if($angkatan_data[$i]->angkatan=="angkatan_1"){?>
class="snip0057 blue" <?php } else { ?> class="snip0057 red" <?php } ?>>
    <figcaption>
        <h2><?php if($angkatan_data[$i]->firstname!=""){
?><?=$angkatan_data[$i]->firstname;?> <?php } else { ?>firstname zero
records {elapsed_time}<?php } ?> <span><?php
if($angkatan_data[$i]->lastname!=""){ ?><?=$angkatan_data[$i]->lastname;?>
<?php } else { ?>lastname zero records {elapsed_time}<?php } ?>
</span></h2>
        <p><?php if($angkatan_data[$i]->biography!=""){
?><?=$angkatan_data[$i]->biography;?> <?php } else { ?>biography zero
records {elapsed_time}<?php } ?></p>
        <div class="icons"><a href="<?php
if($angkatan_data[$i]->website!=""){
?><?=$angkatan_data[$i]->website;?><?php } else { ?>#<?php } ?>"><i
class="ion-ios-home"></i></a><a href="<?php
if($angkatan_data[$i]->email!=""){ ?><?=$angkatan_data[$i]->email;?><?php
} else { ?>#<?php } ?>"><i class="ion-ios-email"></i></a><a href="<?php
if($angkatan_data[$i]->phone!=""){ ?><?=$angkatan_data[$i]->phone;?><?php
} else { ?>#<?php } ?>"><i class="ion-ios-telephone"></i></a></div>
        </figcaption>
        <div class="image"><?=$angkatan_data[$i]->img;?><?php }
else { ?>image404.png<?php } ?>"
alt="<?=$angkatan_data[$i]->firstname;?>"></div>
        <div class="position"><?=$angkatan_data[$i]->angkatan;?></div>
    </figure>
    <?php } ?>
</div>
</div>
</div>
<nav>
    <?php echo $pagination; ?>
</nav>
</div>

```



```

https://www.instagram.com/nama alumni" name="website[0]"
class="form-control"/>
    <span id="website_0" class="help-block"></span>
  </div>
</div>
<div class="form-group">
  <label class="control-label col-md-3">no telp/handphone
**</label>
  <div class="col-md-9">
    <input placeholder="contoh : +6287778784550"
name="phone[0]" class="form-control"/>
    <span id="phone_0" class="help-block"></span>
  </div>
</div>
<div class="form-group">
  <label class="control-label col-md-3">angkatan ke
**</label>
  <div class="col-md-9">
    <select name="angkatan[0]" class="form-control">
      <option value="angkatan_1">Angkatan ke 1</option>
      <option value="angkatan_2">Angkatan ke 2</option>
    </select>
    <span id="angkatan_0" class="help-block"></span>
  </div>
</div>
<div class="form-group">
  <label class="control-label col-md-3">biography **</label>
  <div class="col-md-9">
    <textarea placeholder="deskripsi alumni"
name="biography[0]" class="form-control"></textarea>
    <span id="biography_0" class="help-block"></span>
  </div>
</div>
<div class="form-group">
  <label for="fileInputHor" class="col-sm-3
control-label">berkas gambar</label>
  <div class="col-sm-9">
    <input id="fileInputHor" name="file_image[0]" type="file"
class="dropify">
    <span id="file_image_0" class="help-block"></span>
  </div>
</div>
<div class="form-group">
  <label class="col-sm-3 control-label"></label>
  <div class="col-sm-9">
    <p>* <i style="color:red;">harus diisi</i> / ** <i
style="color:red;">sangat di anjurkan diisi</i></p>
    <button type="button"
onclick="btnn_adding_angkatan_field()" class="btn btn-outline
btn-primary"><i class="ti-plus"></i> tambah field</button>
  </div>

```

```

        </div>
        <div id="angkatan-form"></div>
    </div>
    <!-- end field form -->
</div>
<div class="modal-footer">
    <button type="button" data-dismiss="modal" class="btn
btn-raised btn-default"><i class="ti-close"></i> tutup</button>
    <button type="submit" onclick="bttm_save_c_angkatan()"
id="btnSave" class="btn btn-raised btn-black"><i class="ti-save"></i>
simpan perubahan</button>
</div>
</div>
</form>
</div>
</div>
<!-- end modal -->

```

4. membuat javascriptnya save dengan nama custom.js

```

//-- function angkatan --//
function bttm_remove_angkatan_field(id) {
    var scntDiv = $('#angkatan-form');

    var i = id;

    $('#angkatan-form #field_'+id+').remove();

    i--;

    return false;
}
function bttm_adding_angkatan_field() {

var scntDiv = $('#angkatan-form');

var i = 1 + $('#angkatan-form .toclone').size();

    $('<div id="field_'+i+'" class="toclone"><div class="form-group"><label
class="control-label col-md-3">nama depan alumni*</label><div
class="col-md-9"><input class="form-control" placeholder="nama depan
alumni" name="firstname['+i+']" value=""/><span id="firstname_'+i+'"
class="help-block"></span></div></div><div class="form-group"><label
class="control-label col-md-3">nama belakang alumni*</label><div
class="col-md-9"><input class="form-control" placeholder="nama belakang
alumni" name="lastname['+i+']" value=""/><span id="lastname_'+i+'"
class="help-block"></span></div></div><div class="form-group"><label
class="control-label col-md-3">email**</label><div class="col-md-9"><input
placeholder="contoh : mnwnbk@gmail.com" name="email['+i+']"
class="form-control"/><span id="email_'+i+'"

```

```

class="help-block"></span></div></div><div class="form-group"><label
class="control-label col-md-3">website**</label><div
class="col-md-9"><input placeholder="contoh :
https://www.instagram.com/nama alumni" name="website['+i+']"
class="form-control"/><span id="website_'+i+' "
class="help-block"></span></div></div><div class="form-group"><label
class="control-label col-md-3">no telp/handphone**</label><div
class="col-md-9"><input placeholder="contoh : +6287778784550"
name="phone['+i+']" class="form-control"/><span id="phone_'+i+' "
class="help-block"></span></div></div><div class="form-group"><label
class="control-label col-md-3">angkatan ke**</label><div
class="col-md-9"><select name="angkatan['+i+']"
class="form-control"><option value="angkatan_1">Angkatan ke
1</option><option value="angkatan_2">Angkatan ke 2</option></select><span
id="angkatan_'+i+' " class="help-block"></span></div></div><div
class="form-group"><label class="control-label
col-md-3">biography**</label><div class="col-md-9"><textarea
placeholder="deskripsi alumni" name="biography['+i+']"
class="form-control"></textarea><span id="biography_'+i+' "
class="help-block"></span></div></div><div class="form-group"><label
for="fileInputHor" class="col-sm-3 control-label">berkas
gambar</label><div class="col-sm-9"><input id="fileInputHor"
name="file_image['+i+']" type="file" class="dropify"><span
id="file_image_'+i+' " class="help-block"></span></div></div><div
class="form-group"><label class="col-sm-3 control-label"></label><div
class="col-sm-9"><p>*

```

```

$('#fileInputHor_'+i+'').dropify({// default file for the file input
defaultFile: "",
// max file size allowed
maxFileSize: 0,
// custom messages
messages: {
'default': 'tarik dan jatuh berkas gambar anda disini',
'replace': 'tarik dan jatuh berkas gambar anda disini untuk
merubah',
'remove': 'hapus',
'error': 'oops, terjadi kesalahan.'
},
// custom template
tpl: {
wrap: '<div class="dropify-wrapper"></div>',
message: '<div class="dropify-message"><span
class="file-icon" /> <p>{{ default }}</p></div>',
preview: '<div class="dropify-preview"><span

```



```

class="dropify-render"></span><div class="dropify-infos"><div
class="dropify-infos-inner"><p class="dropify-infos-message">{{ replace
}}</p></div></div></div>',
        filename:      '<p class="dropify-filename"><span
class="file-icon"></span> <span
class="dropify-filename-inner"></span></p>',
        clearButton:  '<button type="button" class="dropify-clear">{{
remove }}</button>',
        error:        '<p class="dropify-error">{{ error }}</p>'
    }
});

i++;
return false;

}
function btnn_adding_c_angkatan() {
    save_method = 'add';
    $('#c_angkatan_form')[0].reset(); // reset form on modals
    $('.form-control').removeClass('has-error'); // clear
error class
    $('.form-group').removeClass('has-error'); // clear error
class
    $('.help-block').removeClass('has-error'); // clear error
class
    $('.help-block').empty(); // clear error string
    $('.col-md-9').removeClass('has-error'); // clear error
class
    $('.modal-title').text('menambah data alumni'); // Set
Title to Bootstrap modal title
    $('[name="website[0]"]').val('');
    $('[name="firstname[0]"]').val('');
    $('[name="lastname[0]"]').val('');
    $('[name="email[0]"]').val('');
    $('[name="phone[0]"]').val('');
    $('[name="biography[0]"]').val('');
    $('#btnSave').html('simpan perubahan'); //change button
text
    $('#fileInputHor').dropify({// default file for the file
input
        defaultFile: "",
        // max file size allowed
        maxFileSize: 0,
        // custom messages
        messages: {
            'default': 'tarik dan jatuh berkas gambar anda
disini',
            'replace': 'tarik dan jatuh berkas gambar anda
disini untuk merubah',
            'remove': 'hapus',
            'error': 'oops, terjadi kesalahan.'
        }
    });
}

```

```

        },
        // custom template
        tpl: {
            wrap:      '<div class="dropify-wrapper"></div>',
            message:   '<div class="dropify-message"><span
class="file-icon" /> <p>{{ default }}</p></div>',
            preview:   '<div class="dropify-preview"><span
class="dropify-render"></span><div class="dropify-infos"><div
class="dropify-infos-inner"><p class="dropify-infos-message">{{ replace
}}</p></div></div></div>',
            filename:  '<p class="dropify-filename"><span
class="file-icon"></span> <span
class="dropify-filename-inner"></span></p>',
            clearButton: '<button type="button"
class="dropify-clear">{{ remove }}</button>',
            error:     '<p class="dropify-error">{{ error
}}</p>'
        }
    });
    $('#modalform').modal('show'); // show bootstrap modal
}

function btnn_save_c_angkatan() {
    $('#c_angkatan_form').ajaxForm({
        url: url + 'add',
        dataType: 'json',
        beforeSend: function() {},
        beforeSubmit: function() {
            $('#btnSave').text('menyimpan...'); //change button text
            $('#btnSave').attr('disabled', true); //set button disable
        },
        success: function(data) {
            if (data.status) //if success close modal and reload ajax table
            {
                $('#modalform').modal('hide'); // show bootstrap modal when
complete loader
                toastr.options = {
                    closeButton: true,
                    progressBar: true,
                    showMethod: 'fadeIn',
                    hideMethod: 'fadeOut',
                    timeout: 8000
                };
                toastr.success('berhasil, menyimpan data', 'system says,');
                //location.reload();
            } else {
                for (var i = 0; i < data.inputerror.length; i++) {
                    $('[' + name + data.inputerror[i] +
                    '"]').parent().parent().addClass('has-error');
                    $('#'+data.error_id[i]+'').text(data.error_string[i]);
                }
            }
        }
    });
}

```

```
    }
    $('#btnSave').html('save changes'); //change button text
    $('#btnSave').attr('disabled', false); //set button enable
  },
  error: function(jqXHR, textStatus, errorThrown) {
    toastr.options = {
      closeButton: true,
      progressBar: true,
      showMethod: 'fadeIn',
      hideMethod: 'fadeOut',
      timeOut: 8000
    };
    toastr.error('terjadi kesalahan, tidak bisa menyimpan data',
'system says,');
    $('#btnSave').html('save changes'); //change button text
    $('#btnSave').attr('disabled', false); //set button enable
  }
});
}
```

jika tutorial ini susah untuk anda mengerti comment saja untuk download source code full nya agan dan sista ...

Tentang Penulis



Achmad Maulana

code, photography, fun